

Chapter 29:

Hypermagnesemia






Table of Contents

Part 1 Physiology

Overview of total body fluid distribution, water balance, and electrolyte compartments.

Chapter 1

Part 2 Basics of Intravenous Fluids and Solutions

Introduction to crystalloids and colloids, their composition, clinical use, precautions, and contraindications.

Chapter 2-5

Part 3 Fluid Replacement Strategies

Principles of fluid therapy, including maintenance, resuscitation, and special considerations for the elderly.

Chapter 6-9

Part 4 Parenteral Additives

Composition, clinical applications, and precautions for various parenteral additives.

Chapter 10-14

Part 5 Hemodynamic Monitoring

Principles and techniques for assessing fluid status and cardiac output, using basic and advanced methods.

Chapter 15-19

Part 6 Electrolyte Disorders

Causes, presentation, diagnosis, and management of various electrolyte imbalances.

Chapter 20-29

Part 7 Acid-Base Disorders

Concepts, interpretation, and management of metabolic and respiratory acid-base disorders.

Chapter 30-33

Part 8 Fluid Therapy in Medical Disorders

Guidelines for fluid management in conditions like GI diseases, liver disorders, respiratory issues, and diabetic emergencies.

Chapter 34-41

Part 9 Fluid Therapy in Surgical Disorders

Fluid management before, during, and after surgery, including TURP syndrome and burns.

Chapter 42-47

Part 10 Fluid Therapy in Pediatrics

Special considerations for fluid management in children and neonates, including resuscitation, maintenance, and oral rehydration.

Chapter 48-50

Part 11 Fluid Therapy in Obstetrics

Fluid management strategies for pregnancy, cesarean delivery, preeclampsia, and labor-related hyponatremia.

Chapter 51-54

Part 12 Parenteral Nutrition

Principles, indications, and administration of parenteral nutrition, with disease-specific guidelines and complication management.

Chapter 55-57



29 Hypermagnesemia

Etiology 336	Diagnosis 337
Clinical Features336	Management337

Hypermagnesemia is an uncommon electrolyte disorder defined as serum magnesium concentration above 2.6 mg/dL (1.1 mmol/L, or 2.14 mEq/L). As a normal kidney can effectively excrete magnesium load, hypermagnesemia is rarely seen in clinical practice if renal function is normal.

ETIOLOGY

Hypermagnesemia is frequently iatrogenic and almost always occurs either due to impaired excretion of magnesium in acute kidney injury (AKI) or chronic kidney disease (CKD) or the administration of magnesium in a large amount [1–4].

Common causes are:

- Renal failure: AKI or CKD patients receiving magnesium-containing antacids, laxatives, or IV fluids [3, 5, 6].
- Excessive magnesium intake: Treatment of preeclampsia or eclampsia with IV magnesium sulfate, aggressive treatment of hypomagnesemia with IV magnesium, intake of large amounts of magnesium salts as cathartics or antacids, and use of rectal magnesium sulfate enemas.
- Compartment shift or leak: Diabetic

- ketoacidosis untreated, tumor lysis syndrome, acute rhabdomyolysis, hemolysis, and severe burns.
- Miscellaneous causes: Milk-alkali syndrome and impaired renal excretion of magnesium due to primary hyperparathyroidism, adrenal insufficiency, and hypothyroidism.

CLINICAL FEATURES [7, 8]

Symptoms of hypermagnesemia are chiefly neuromuscular, cardiac, and related to hypocalcemia, which varies as per the magnesium level and, in severe form, can be serious and potentially fatal, as summarized in Table 29.1.

Neuromuscular manifestations: Hypermagnesemia inhibits acetylcholine release from the neuromuscular endplate, causing the blockage of neuromuscular transmission leading to a neuromuscular symptom. It includes muscular weakness, lethargy, loss of deep tendon jerks, muscular paresis leading to respiratory depression, respiratory failure, and quadriparesis. In addition, due to smooth-muscle paralysis, hypermagnesemia may present as paralytic ileus or urinary retention.



Want to read more?

Get Printed Version

Get Kindle Version

REFERENCES

- Jahnen-Dechent W, Ketteler M. Magnesium basics. Clin Kidney J. 2012;5(Suppl 1):i3–i14.
- Alaini A, Roldan CA, Servilla K, et al. Near death by milk of magnesia. BMJ Case Rep. 2017;2017;bcr2016218260.
- Wakai E, Ikemura K, Sugimoto H, et al. Risk factors for the development of hypermagnesemia in patients prescribed magnesium oxide: a retrospective cohort study. J Pharm Health Care Sci. 2019;5:4.
- Mori H, Suzuki H, Hirai Y, et al. Clinical features of hypermagnesemia in patients with functional constipation taking daily magnesium oxide. J Clin Biochem Nutr. 2019;65(1):76–81.
- Wyskida K, Witkowicz J, Chudek J, et al. Daily magnesium intake and hypermagnesemia in hemodialysis patients with chronic kidney disease. J Ren Nutr 2012;22(1):19–26.
- Khairi T, Amer S, Spitalewitz S, et al. Severe Symptomatic Hypermagnesemia Associated with

- Over-the-Counter Laxatives in a Patient with Renal Failure and Sigmoid Volvulus. Case Rep Nephrol. 2014;2014:560746.
- Topf JM, Murray PT. Hypomagnesemia and hypermagnesemia. Rev Endocr Metab Disord. 2003;4(2):195–206.
- Kraft MD, Btaiche IF, Sacks GS, et al. Treatment of electrolyte disorders in adult patients in the intensive care unit. Am J Health Syst Pharm. 2005;62(16):1663–82.
- Mordes JP, Swartz R, Arky RA. Extreme hypermagnesemia as a cause of refractory hypotension. Ann Intern Med. 1975;83(5):657-658.
- McDonnell NJ, Muchatuta NA, Paech MJ. Acute magnesium toxicity in an obstetric patient undergoing general anaesthesia for caesarean delivery. Int J Obstet Anesth. 2010;19(2):226–31.
- 11. Ishida Y, Tabuchi A. Severe Hypermagnesemia with Normal Renal Function Can Improve with Symptomatic Treatment. Case Rep Emerg Med. 2020;2020:2918249.



Join the Mission to Fight Kidney Diseases

Explore the world's largest multilingual website created by a global team of over 100 nephrologists.

www.KidneyEducation.com

- » Read online or download the 200-page book"Save Your Kidneys" in 40 languages—completely free.
- » This comprehensive resource offers valuable information on preventing and managing common kidney problems, tailored for kidney patients and their families.
- » It's an authentic guide, prepared by nephrologists and free from any external funding.